Search history

L Number	Hits	Search Text	DB	Time stamp
1	2560	@ad<20010520 and (router or switch) and packets same counter and flow and counter	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/10/26 10:19
2	346	@ad<20010520 and (router or switch) and packets same counter and flow same counter same counter same	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/10/26 10:19
3	92	@ad<20010520 and (router or switch) same packets same counter and flow same counter same count	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/10/26 10:20
4	6	@ad<20010520 and (router or switch) same packets same counter and flow with priority same counter same count	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/10/26 10:19
5	20857	<pre>@ad<20010520 and (router or switch) same packets same counter and flow wiht priority and counter same count</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/10/26 10:21
6	20857	<pre>@ad<20010520 and (router or switch) same packets same counter and flow wiht priority and counter same count</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/10/26
7	38	@ad<20010520 and (router or switch) same packets same counter and flow with priority and counter same count	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/10/26 10:49
10	12	("5031089" "5230065" "5249290" "5341477" "5459837" "5475685" "5475819" "5574861" "5603029" "5673393" "5701465" "5774660").PN.	USPĀT	2004/10/26 10:27
11	306 108	5774660.URPN.	USPAT	2004/10/26 10:27 2004/10/26
13	948		USPAT;	10:27
		flow with path same (weight or count)	US-PGPUB; EPO; JPO; DERWENT; IBM TDB	10:50
14	329	<pre>@ad<20010520 and (router or switch) and (packets or cells) and flow with path same (weight or count)</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/10/26
15	80	<pre>@ad<20010520 and (router or switch) and (packets or cells) and flow with path with (weight or count)</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/10/26 10:50
16	36	@ad<20010520 and (router or switch) and (packets or cells) and flow with path with (weight or count) and increment	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/10/26 10:50
18	74	@ad<20010520 and network same (router or switch) and (packets or cells) and flow with path same (weight or count) and increment	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/10/26 10:51

17	10	[0-d<20010E20 /	TICDAM -	2004/10/26
17	19	<pre>@ad<20010520 and network same (router or switch) and (packets or cells) and flow</pre>	USPAT; US-PGPUB;	2004/10/26 10:51
		with path with (weight or count) and	EPO; JPO;	10.31
		increment	DERWENT;	
			IBM TDB	
-	2	("6006264").PN.	USPĀT;	2004/10/22
			US-PGPUB;	10:48
1			EPO; JPO;	
			DERWENT;	
	'	("20030007485").PN.	<pre>IBM_TDB USPAT;</pre>	2004/10/25
-	2	("20030007485").PN.	US-PGPUB;	15:02
			EPO; JPO;	13.02
			DERWENT;	
			IBM TDB	
-	2	("20030009560").PN.	USPAT;	2004/10/22
			US-PGPUB;	15:38
			EPO; JPO;	
			DERWENT;	
	2	("6295527").PN.	<pre>IBM_TDB USPAT;</pre>	2004/10/22
-	2	(6295527).PN.	US-PGPUB;	15:39
			EPO; JPO;	20.00
			DERWENT;	·
			IBM_TDB	
-	0	6006264.pn. and rate with flow	USPĀT;	2004/10/25
			US-PGPUB;	14:30
			EPO; JPO;	
		,	DERWENT;	
	0	6006264.pn. and rate near flow	IBM_TDB USPAT;	2004/10/25
-		6006264.pm. and face hear flow	US-PGPUB;	14:30
			EPO; JPO;	11.55
			DERWENT;	
	ŀ		IBM_TDB	
-	0	6006264.pn. and rate same flow	USPAT;	2004/10/25
			US-PGPUB;	14:30
			EPO; JPO;	
		•	DERWENT; IBM TDB	
_	0	@ad<20010520 and RLM with encod\$ same	USPAT;	2004/10/25
		(router or switch) with content	US-PGPUB;	15:03
		(200002 02 2002001, 10201 0000000	EPO; JPO;	
		,	DERWENT;	
			IBM_TDB	
-	0		USPAT;	2004/10/25
		near layered near multicast) or RLM) with	US-PGPUB;	15:03
		encod\$ same (router or switch) with content	EPO; JPO; DERWENT;	
		Concent	IBM TDB	
_	33	@ad<20010520 and ((receiver near driven	USPAT;	2004/10/25
		near layered near multicast) or RLM) same	US-PGPUB;	15:05
	1	(router or switch)	EPO; JPO;	·
			DERWENT;	
	_		IBM_TDB	2004/10/25
-	0	, , , , , , , , , , , , , , , , , , ,	USPAT;	2004/10/25 15:05
		near layered near multicast) or RLM) same	US-PGPUB; EPO; JPO;	13.03
		content with type same packet	DERWENT;	
	İ		IBM TDB	
_	0	@ad<20010520 and ((receiver near driven	USPAT;	2004/10/25
	1	near layered near multicast) or RLM) same	US-PGPUB;	15:05
		content with type same packet same header	EPO; JPO;	
	}		DERWENT;	1
		0-4/20010500 //	IBM_TDB	2004/10/25
-	3	•	USPAT;	2004/10/25 15:25
		near layered near multicast) or RLM) same content with type	US-PGPUB; EPO; JPO;	13.23
		Content with type	DERWENT;	·
	1		IBM TDB	
L		1	·	•

[-	0	@ad<20010520 and sequential with integer	USPAT;	2004/10/25
		with flow same (router or switch)	US-PGPUB;	15:26
		(EPO; JPO;	
			DERWENT;	
			IBM TDB	
-	2	@ad<20010520 and sequential with integer	USPĀT;	2004/10/25
		with flow and (router or switch)	US-PGPUB;	15:26
			EPO; JPO;	
			DERWENT;	ĺ
			IBM_TDB	
-	. 13	@ad<20010520 and ((sequential near	USPAT;	2004/10/25
		integer) or (hop near count)) with flow	US-PGPUB;	15:28
		and (router or switch)	EPO; JPO;	
			DERWENT;	
	ا م	0-4(20010520 //	IBM_TDB	2004/10/25
. –	2		USPAT;	2004/10/25 15:30
		integer) or (hop near count)) with flow and (router or switch) and integer	US-PGPUB; EPO; JPO;	12:30
		and (fouter of switch) and integer	DERWENT;	
			IBM TDB	
	10	@ad<20010520 and content with aware with	USPAT;	2004/10/26
	10	switch and integer	US-PGPUB;	10:18
			EPO; JPO;	
			DERWENT;	
			IBM TDB	